

## TABLE OF CONTENTS - Appendix F

---

List of Figures .....	F–ii
List of Tables .....	F–iii

### **Appendix F**

#### **Interim Report on Inventory and Identification of Steels Recovered from the WTC Buildings .....**

**F–1**

F.1 Purpose of Report .....	F–1
F.2 Scope of Report .....	F–1
F.3 Background Information Related to Recovery of WTC Structural Steel .....	F–2
F.4 Structural Elements Recovered from the WTC Buildings .....	F–3
F.4.1 Present Location and Labeling of Structural Steel Elements .....	F–3
F.4.2 Identification of WTC Structural Steel Elements .....	F–5
F.5 Structural Steel Elements of Special Importance .....	F–35
F.5.1 Samples Located in or Around the Floors Impacted by the Airplane .....	F–35
F.5.2 Samples Representing the Various Types of Steel Specified in the Design Drawings ..	F–37
F.6 Summary .....	F–38
F.7 References .....	F–40
F.7.1 References from Publicly Available Sources .....	F–40
F.7.2 References from Nonpublic Sources .....	F–40

### **Attachment 1**

<b>Data on Recovered WTC Steel .....</b>	<b>F–41</b>
------------------------------------------	-------------

## LIST OF FIGURES

---

Figure F-1.	Characteristic “overall” view of the samples taken for each piece received.....	F-4
Figure F-2.	Location of the exterior panels recovered from the top third of WTC 1 and 2.....	F-7
Figure F-3.	Example of stampings on the interior base of the middle column for each panel.....	F-9
Figure F-4.	Example of stampings placed on one end of a core column. ....	F-10
Figure F-5.	Example of stamping placed on flange indicating the column type (120), and schematic indicating the various plates corresponding to Table F-5. ....	F-11
Figure F-6.	Characteristic stenciling found on the lower portions of the exterior column panels for sample C-14 and on an interior core column for sample B-6152.....	F-13
Figure F-7.	Schematic showing the derrick divisions that hoisted the specific columns for WTC 1 and WTC 2. ....	F-14
Figure F-8.	Schematic showing the sample M-10 as two separate exterior column panels, M-10a and M-10b. ....	F-22
Figure F-9.	Schematics displaying the various types of exterior column panels. ....	F-23
Figure F-10.	Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 1. ....	F-24
Figure F-11.	Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 2. ....	F-31
Figure F-12.	Interpreted column damage, from photographic evidence, to WTC 1, with overlay of samples in NIST’s possession.....	F-36
Figure F-13.	Interpreted column damage, from photographic evidence, to WTC 2, with overlay of samples in NIST’s possession.....	F-37

## LIST OF TABLES

---

Table F-1.	Identified exterior column panel pieces from WTC 1 and WTC 2. ....	F-6
Table F-2.	Partially identified exterior column panel from WTC 1 or WTC 2. ....	F-7
Table F-3.	Identified pieces of core column material from WTC 1 and WTC 2. ....	F-8
Table F-4.	Other built-up box columns and wide flange sections from WTC 1 and WTC 2 with ambiguous stampings and/or markings. ....	F-8
Table F-5.	Examples of column types with corresponding plate gages. ....	F-12
Table F-6.	Specified and observed minimum yield strengths for positively identified exterior column panels. ....	F-16
Table F-7.	Specified and observed column types for positively identified exterior column panels. ....	F-17
Table F-8.	Specified minimum yield strengths from WTC 1 and WTC 2, along with the observed stampings, used to positively identify some exterior column panels. ....	F-18
Table F-9.	Specified column types of exterior panels from WTC 1 and WTC 2, along with the observed stampings, used to positively identify some exterior column panels. ....	F-19
Table F-10.	Information used to determine the identification of exterior panel M-2. ....	F-21
Table F-11.	Listing of recovered exterior column panels with specified minimum yield strengths and thicknesses for columns and spandrels. ....	F-39

This page intentionally left blank.



## **Appendix F**

# **INTERIM REPORT ON INVENTORY AND IDENTIFICATION OF STEELS RECOVERED FROM THE WTC BUILDINGS**

---

### **F.1 PURPOSE OF REPORT**

The purpose of Project 3 of the National Institute of Standards and Technology (NIST), World Trade Center (WTC) Investigation, Mechanical and Metallurgical Analysis of Structural Steel, is to analyze structural steel available from WTC 1, 2, and 7 to determine the metallurgical and mechanical properties and quality of the metal, weldments, and connections and to provide these data to other investigation projects. (For test plan details, see [http://wtc.nist.gov/media/WTCplan\\_new.htm#proj3](http://wtc.nist.gov/media/WTCplan_new.htm#proj3).) The properties determined under this project will be used in two ways:

- Properties will be correlated with the design requirements of the buildings to determine if the specified steel was in place in the towers.
- Properties will be supplied for other projects in the Investigation as input for models of building performance.

This interim report is an output of Task 1 of Project 3. Task 1 is defined in the NIST plan as “Collect and catalog the physical evidence (structural steel components and connections) and other available data, such as specifications for the steel, the location of the steel pieces within the buildings, and the specified steel properties.”

### **F.2 SCOPE OF REPORT**

The Task 1 report comprises three parts:

- Tower Design – Structural Steel Documents.
- Contemporaneous Structural Steel and Construction Specifications.
- Inventory and Identification of Steels Recovered from the WTC Buildings. This appendix covers part 3; Appendix E presents the structural design of the WTC towers and the specifications used for the steel and construction of the buildings.

Part 1, which is covered in Appendix E of this Progress Report, describes the tower structure and critical structural elements to be characterized in Project 3. This includes the structural design and properties specified by the structural engineers for columns, floor systems, and connections.

Part 2, also covered in Appendix E, describes the contemporaneous (late 1960s era) specifications for various types and grades of steel designated by the ASTM International, the American Institute of Steel Construction, and other national and international organizations. It also includes information from numerous suppliers of the steel for the towers. The structural steel for the towers was supplied through at least a dozen contracts to suppliers and fabricators. Substantial understanding of the consistency, quality,

and actual strength of the steel (as opposed to specified minimum values) can be gained if the production practices and quality control procedures used by the various steel suppliers are understood. Practices and data from the numerous WTC steel suppliers have been investigated and are reported for both structural steel and construction practices. In addition, this information has been used to estimate typical mechanical property values for many of the grades of steel. These typical values can serve as a guide for the properties to be inserted into the finite element models of building performance and as a point of comparison for actual properties measured on the recovered steel.

Part 3, covered in this appendix, documents the steel recovered for the WTC Investigation. Approximately 236 pieces of WTC steel were available for study at NIST. These pieces represent a small fraction of the steel examined at the various recovery yards where the steel was sent as the WTC site was cleared.

### **F.3 BACKGROUND INFORMATION RELATED TO RECOVERY OF WTC STRUCTURAL STEEL**

Beginning in October 2001, members of the Federal Emergency Management Agency (FEMA), American Society of Civil Engineers (ASCE), Building Performance Assessment Team (BPAT), members of the Structural Engineers Association of New York (SEAoNY), and Professor A. Astanek-Asl of the University of California, Berkeley, California, with support from the National Science Foundation, began work to identify and collect WTC structural steel from the various recovery yards where debris, including the steel, was taken during the cleanup effort. Dr. J. Gross, a structural engineer at NIST and a member of the FEMA/ASCE BPAT, was involved in these early efforts.

There were four major sites where debris from the WTC buildings was shipped during the clean-up effort in which the volunteers worked. These were:

- Hugo Nue Schnitzer, Inc., Fresh Kills Landfill in Staten Island, New Jersey;
- Hugo Nue Schnitzer East, Inc., Claremont Terminal in Jersey City, New Jersey;
- Metal Management, Inc., in Newark, New Jersey; and
- Blanford and Co. in Keasbey, New Jersey.

The volunteers searched through unsorted piles of steel and other debris for pieces from the WTC buildings, specifically searching for (McAllister 2002):

- Exterior column panels and interior core columns from WTC 1 and WTC 2 that were exposed to fire and/or impacted by the aircraft;
- Exterior column panels and interior core columns from WTC 1 and WTC 2 directly above and below the impact zones;
- Badly burned pieces from WTC 7;
- Connections from WTC 1, WTC 2, and WTC 7 (e.g., seat connections, single-shear plates, and column splices);

- Bolts in all conditions;
- Floor trusses, including stiffeners, seats, and other components; and
- Any pieces that in the engineers' professional opinion might be useful.

Once identified for recovery, the samples were marked as "SAVE" and given an alphanumeric code relative to the recovery yard from which they came and an accession number. Some pieces were not saved in their entirety, but instead, small portions were removed, hereafter called coupons. (Coupons were also removed in the field for WTC 5, held at Gilsanz Murray Steficek, LLP [GMS, LLP], and later brought to NIST.)

Facing concern that the identified steel may not be properly preserved in the recovery yards, NIST arranged for the steel to be shipped to its campus in Gaithersburg, Maryland, starting in March 2002. Professor Astaneh-Asl also granted NIST permission to take custody of the steel that he had personally marked. Before the samples were shipped to the NIST campus, environmental testing for asbestos and analysis of the paint for lead was conducted. Volunteers from SEAoNY, with assistance from additional NIST personnel, continued their presence at the recovery yards and identified, catalogued, and shipped steel specimens to NIST through October 2002. The structural components recovered now constitute the material base from which samples are being removed for further evaluation and or testing relative to the fire and structural response of the WTC buildings as part of the WTC Investigation.

Structural steel elements were also collected and held by the Port Authority of New York and New Jersey (PANYNJ) in Hanger 17 located at John F. Kennedy International Airport (JFK). The main goal of the Port Authority project was to decontaminate and preserve the steel, as well as other WTC artifacts, for future exhibits and memorials. A complete listing of the pieces held by PANYNJ can be found in the Preservation and Inventory Report prepared by Voorsanger and Associates Architects, PC (Voorsanger 2002). NIST personnel visited the hanger and identified 12 additional pieces that were considered important to the Investigation. Six of these samples were moved whole to the Gaithersburg campus. The remaining pieces had portions removed and sent to NIST, with the bulk of the structural element remaining at JFK.

## **F.4 STRUCTURAL ELEMENTS RECOVERED FROM THE WTC BUILDINGS**

### **F.4.1 Present Location and Labeling of Structural Steel Elements**

At present, NIST possesses 236 labeled samples from the WTC buildings. While the majority of the NIST-held samples reside on the Gaithersburg campus, some samples were shipped to the Boulder campus for mechanical property testing following initial documentation.

As samples were delivered, overall images of the pieces were taken for record-keeping purposes. An example is shown in Fig. F-1. Samples are identified by their original alphanumeric identification codes assigned by SEAoNY to be consistent with the FEMA report. However, there were cases in which two different codes were found on one piece. In these instances, if the pieces were already undergoing



**Figure F-1. Characteristic “overall” view of the samples taken for each piece received. Sample shown here is C-14.**

documentation procedures, the first code noted was used. Samples that arrived lacking a code were labeled as part of the U series. Additionally, samples brought from Hanger 17 at JFK maintained their “B”-series labels provided in the Voorsanger report (Voorsanger 2002).

Attachment 1 is a complete list of each sample received, in alphanumeric order, with its classification, a brief description of the component, and the location of the piece on the NIST campus. These samples range from full exterior column panels to pieces of bolts and bags of glass and other debris fragments. The pieces were classified into one of eight categories:

Classification	No. of Pieces	Symbol
Exterior column panel sections (flat wall or corner)	94	C, CC, or Cn
Bowtie pieces	2	BT
Rectangular built-up box column (not perimeter column)	11	RB
Wide flange sections	44	W
Floor trusses	23	J
Channels	25	Ch
Coupons from WTC 5	7	Cn5
Miscellaneous (isolated bolts, floor hanger components, or other)	30	B,H,O

Attachment 2 lists the pieces separated by type, and Attachment 3 displays characteristic photographs of the various pieces.

#### **F.4.2 Identification of WTC Structural Steel Elements**

Information from Leslie E. Roberts Associates indicates that all structural steel pieces in WTC 1 and WTC 2 were uniquely identified by stampings (recessed letters and numbers) and/or painted stencils (Faschan 2002). NIST has been successful in finding these identification markings on many of the perimeter panel sections, core columns, and other wide flange members. Of the 94 pieces of perimeter panel labeled in Attachment 1, 90 distinct panels were observed. (The other four pieces of perimeter column had become separated from the main panel during salvage and were subsequently labeled C-13a, C-16a, C-28b, and K-16a.) At this time, of the 90 panels, 41 distinct exterior column panels have been identified and 1 partially identified. Tables F-1 and F-2 list these samples, respectively, with Fig. F-2 showing the relative locations of the identified exterior panels within the top third of the buildings. Significantly more pieces were recovered from WTC 1 than WTC 2. Table F-3 lists the 12 core columns in NIST’s possession that have been positively identified through their stampings. An additional sample, C-83, is also listed in this group. Though no markings were found on the piece, the shape and dimension of this sample are in conformance with the design drawings for core columns and it has a similar appearance to core column C-90. Additionally, there are 13 pieces of wide flange sections that have stampings and/or markings with different codes that are not presently understood (see Table F-4). NIST is still investigating the identification of these pieces.

The positive identification of the structural elements was made possible by deciphering the stampings and/or stencils found on them. During the fabrication process, the exterior panel sections were stamped at the bottom of the center column on the inside face. These stampings indicated the building, center column line number, and floors spanned by the columns. The core columns had stampings placed at the

**Table F–1. Identified exterior column panel pieces from WTC 1 and WTC 2.**

<b>NIST Name</b>	<b>Type</b>	<b>Description</b>	<b>Bldg.</b>	<b>Column</b>	<b>Floors</b>	<b>Derrick Division</b>
B-1024	C	Full panel	WTC 2	154	21 – 24	NA
B-1043	C	Full panel	WTC 2	406	40 – 43	NA
B-1044	C	Full panel	WTC 2	409	40 – 43	NA
C-10	C	Full panel	WTC 1	451	85 – 88	5x
C-13	CC	Rectangular column with spandrel	WTC 2	200	90 – 92	569
C-13a	C	Partial of single column	WTC 2	159	90 – 92	569
C-14	C	1 column, lower 1/3	WTC 2	300	85 – 87	570
C-18	C	3 columns, bottom 2/3	WTC 2	230	93 – 96	NA
C-22	C	3 columns, lower 1/2	WTC 1	157	93 – 96	69
C-24	C	3 columns, upper 1/3	WTC 2	203	74 – 77	NA
C-25	C	1 column, lower 1/2	WTC 1	206	89 – 92	69
C-40	C	2 columns, lower 2/3	WTC 1	136	98 – 101	6x
C-46	C	Nearly full panel	WTC 2	157	68 – 71	569
C-48	C	Nearly 2 full columns	WTC 2	442	91 – 94	NA
C-55	C	1 column, lower 1/3	WTC 1	209	94 – 97	NA
C-89	C	2 full columns	WTC 2	215	12 – 15	NA
C-92	C	1 column, lower 1/3	WTC 2	130	93 – 96	NA
C-93	C	1 column, lower 1/3	WTC 1	339	99 – 102	NA
CC	C	2 full columns	WTC 1	124	70 – 73	NA
K-1	C	3 columns, lower 1/3	WTC 1	209	97 – 100	NA
K-2	C	1 column, lower 2/3	WTC 1	236	92 – 95	NA
M-2	C	Full panel	WTC 1	130	96 – 99	63
M-10a	C	3 columns, middle section 1/3	WTC 2	209	82 – 85	NA
M-10b	C	3 columns, lower 1/2	WTC 2	206	83 – 86	569
M-20	C	2 columns, lower 1/3	WTC 1	121	99 – 102	63
M-26	C	Full panel	WTC 1	130	90 – 93	6x
M-27	C	2 columns, lower 3/4	WTC 1	130	93 – 96	63
M-28	C	3 columns, lower 1/4	WTC 2	345	98 – 101	NA
M-30	C	2 columns, lower 1/3	WTC 1	133	94 – 97	65
N-1	C	2 full columns	WTC 1	218	82 – 85	NA
N-7	C	Full panel	WTC 1	127	97 – 100	NA
N-8	C	Full panel	WTC 1	142	97 – 100	67
N-9	C	Nearly full panel	WTC 1	154	101 – 104	69
N-10	C	2 columns, lower 2/3	WTC 1	115	89 – 92	6x
N-12	C	2 full columns	WTC 1	206	92 – 95	69
N-13	C	3 columns, lower 1/3	WTC 1	130	99 – 102	63
N-99	C	Nearly full panel	WTC 1	148	99 – 102	67

**Table F–1. Identified exterior column panel pieces from WTC 1 and WTC 2 (continued).**


NIST Name	Type	Description	Bldg.	Column	Floors	Derrick Division
N-101	C	Full panel	WTC 1	133	100 – 103	65
S-1	C	2 columns, lower 1/3	WTC 1	433	79 – 82	47
S-9	C	Full panel	WTC 1	133	97 – 100	NA
S-10	C	2 columns, lower 1/2	WTC 1	224	92 – 95	NA
S-14	C	Full panel	WTC 2	218	91 – 94	557

Key: NA, information not available.

Note: “x” in Derrick Division: Unreadable.

**Table F–2. Partially identified exterior column panel from WTC 1 or WTC 2.**

NIST Name	Type	Description	Bldg.	Column	Floors
C-117	C	3 columns, lower 1/3	NA	NA	100 – 104

**Figure F–2. Location of the exterior panels recovered from the top third of WTC 1 and 2.**



**Table F–3. Identified pieces of core column material from WTC 1 and WTC 2.**

NIST Name	Type	Description	Bldg.	Column	Floors	Derrick Division	FY (ksi)
B-1011	RB	Heavy rectangular column	WTC 1	508	51 – 54	55	36
B-6152-1	RB	Heavy rectangular column	WTC 1	803	15 – 18	52	36
B-6152-2	RB	Heavy rectangular column	WTC 1	504	33 – 36	51	36
C-83 <sup>a</sup>	RB	Heavy rectangular column	NA	NA	NA	NA	NA
C-88a	RB	Heavy rectangular column	WTC 2	801	80 – 83	550	42
C-88b	RB	Heavy rectangular column	WTC 2	801	77 – 80	550	42
C-90	RB	Heavy rectangular column	WTC 2	701	12 – 15	549	36
C-30 or S-12	W	Wide flange section	WTC 2	1008	104 – 106	NA	36
C-65 or S-8	W	Wide flange section	WTC 1	904	86 – 89	52	36
C-71	W	Wide flange section	WTC 1	904	77 – 80	NA	36
C-80	W	Wide flange section	WTC 1	603	92 – 95	51	36
C-155	W	Wide flange section	WTC 1	904	83 – 86	52	36
HH or S-2	W	Wide flange section	WTC 1	605	98 – 101	53	42

a. C-83 was not positively identified but due to similar size and shape was deemed a core column.

Key: NA, information not available.

**Table F–4. Other built-up box columns and wide flange sections from WTC 1 and WTC 2 with ambiguous stampings and/or markings.**

NIST Name	Type	Description	Markings
C-79	RB	Thin rectangular column	101A 81 – 85 – 87 – 92 52
C-101	RB	Thin rectangular column	78A 10 27 50
C-154	RB	Thin rectangular column	825: 107 – 108 52
C-26	W	Three connected wide flange sections	604/605 107 64 50
C-44	W	Wide flange section	59 S 563
C-45	W	Wide flange section	16 S2 563 Fy 50
C-60	W	Wide flange section	193 S1 69
C-61	W	Wide flange section	150 S 69
C-62	W	Wide flange section	224 (S) <48> Fy 50
M-17	W	Wide flange section	163 (9) 62 Fy 36
M-23	W	Wide flange section	F 2010
M-37	W	Wide flange section	130 (8x – 92) <50>
M-38	W	Wide flange section	Fy 42

Note: “x”, unreadable.





**Figure F-3. Example of stampings on the interior base of the middle column for each panel.**


lower end of the component near the connector. The building was typically represented as “A” for WTC 1 and “B” for WTC 2. An example of a stamping found on an exterior column is shown in Fig. F-3, where the stamping indicates that the piece was from WTC 2, with center column line number 206, spanning floors 83 through 86. Core column material was found to have similar markings (Fig. F-4). Other stampings have also been found on the flanges of the perimeter columns that indicated the column type (Fig. F-5 and Table F-5) as well as the specified minimum yield strength of the column. Additional stampings are located on the flanges, but are not yet understood.

NIST is still investigating the significance of these codes. All of these stampings typically reside within 1 meter from the bottom of the column.



**Figure F-4. Example of stampings placed on one end of a core column.**





**Figure F-5. (a) Example of stamping placed on flange indicating the column type (120), and (b) schematic indicating the various plates corresponding to Table F-5.**

**Table F-5. Examples of column types with corresponding plate gages.**

Column Type	Plate 1 (in.)	Plate 2 (in.)	Plate 3 (in.)
120	1/4	1/4	1/4
121	5/16	1/4	1/4
122	3/8	1/4	1/4
123	7/16	1/4	1/4
124	1/2	1/4	1/4
125	9/16	1/4	1/4
126	5/8	1/4	1/4
128	3/4	1/4	1/4
129	13/16	5/16	5/16
133	1-1/16	3/8	3/8
149	2-1/16	11/16	11/16
150	2-1/8	3/4	3/4
152	2-1/4	3/4	3/4
334	1-1/8	3/8	3/8
335	1-3/16	7/16	7/16
520	1/4	1/4	1/4
522	3/8	1/4	1/4

Each of the structural elements was additionally stenciled in white or yellow lettering with similar building information. For the exterior panel sections, the stenciling was located on or near the lower spandrel on the interior face. Figure F-6 (a) shows a typical stenciling found on a perimeter panel, indicating this piece was in WTC 2, with center column line number 300, spanning floors 85 through 87. For the core columns, both stenciling and handwritten codes have been observed on the recovered pieces. Figure F-6 (b) shows one of these stencilings from a core column located in WTC 1.

Also seen in Fig. F-6 (a) are two other indicators, 3T and <570>, found on the exterior panel sections. These markings are the estimated piece tonnage (1 ton equals approximately 907 kg) and the erector's derrick division number, respectively. This information was also stamped on some of the core column pieces (see Fig. F-4). The erector, Karl Koch Erecting Co., Inc., assigned derrick divisions 47 through 70 for WTC 1 and derrick divisions 547 through 570 for WTC 2 (PONYA 1967). Each division was assigned to a specific area of the building and shared a crane with other nearby derrick divisions. Therefore, a single crane may have lifted pieces from derrick divisions 65, 67, and 69. Figure F-7 shows the derrick division numbers that hoisted the specific columns for both buildings, according to the derrick numbers found on structural elements with positive identification (also shown in Tables F-2 and F-3).

Of the 41 positively identified exterior panels, 25 had specific markings giving all the information needed (building, column, floors) to locate the structural element within the buildings from one or both codes (i.e., stampings or stencils). The flange stampings, which indicated the specified yield strength and column type, were used to confirm the findings (Tables F-6 and F-7). The only deviation noted was that 100 ksi steel was substituted for the 85 ksi and 90 ksi grades that were specified. This can be observed in

a)





b)



Figure F-6. (a) Characteristic stenciling found on the lower portions of the exterior column panels for sample C-14. (b) Characteristic stenciling found on an interior core column for sample B-6152.





Source: McAllister 2002.

**Figure F-7. Schematic showing the derrick divisions that hoisted the specific columns for (a) WTC 1, and (b) WTC 2.**

Table F–6 for samples B-1043, B-1044, C-10, and M-10b. This substitution is consistent with (PANYNJ) documents of the construction period, indicating that 100 ksi steel was used for all steel specified as 85 ksi or 90 ksi. (See Appendix C, Contemporaneous Structural Steel and Construction Specifications.)

Sixteen other panels were positively identified using a combination of the stampings, including the specified minimum yield strength (Table F–8) and column type (Table F–9), the stenciled derrick division number (Table F–8), or association to another panel, as follows:

- **C-10**: The stampings indicated that the center column line number was 451 and the panel spanned floors 85 through 88, but the building identification information was obscured by a weld bead. The building can be identified by a derrick division number in the 50 series, which corresponds to WTC 1 (Fig. F–7). (Note that the flange stampings indicated that the steel used is 100 ksi, while the building design drawings indicated that 85 ksi was specified. As mentioned above, substitution of the specified 85 ksi, as well as the 90 ksi grades, by 100 ksi steel was approved.)
- **C-24**: This piece was readily identifiable as a mechanical or service floor due to the non-uniform width of the columns. Unfortunately, only the upper portion of the panel was recovered, and thus no stampings were found. However, the end connections to these floors were welded in addition to the typical bolting. In doing so, the end plate and a small portion of the column from the panel above this piece remained after the collapse, and the stamping of “B 203 77-78” identifying the panel above this sample was clearly visible.
- **C-55**: The stampings indicated that the center column line number was 209 and the panel spanned floors 94 through 97, however, no building information was observed. By reviewing the flange stampings (Table F–8), the piece was determined to belong to WTC 1.
- **C-92**: Stenciling on the piece indicated that it was from WTC 2, floors 93 through 96. However, the center column line number was partially obscured, with 13x visible. By reviewing the flange stampings (Tables F–8 and F–9), the piece center column line number was determined to be 130.
- **C-93**: The stampings indicated that the center column line number was 339 and the panel spanned floors 99 through 102; however, no building information was observed. By reviewing the flange stampings (Table F–8), the piece was determined to belong to WTC 1.
- **CC**: The stampings indicated that the center column line number was 124 and the panel spanned floors 70 through 73; however, no building information was observed. By reviewing the flange stampings (Table F–8), the piece was determined to belong to WTC 1.
- **K-1**: The stampings indicated that the center column line number was 209 and the panel spanned floors 97 through 100; however, no building information was observed. By reviewing the flange stampings (Table F–8), the piece was determined to belong to WTC 1.

**Table F-6. Specified and observed minimum yield strengths for positively identified exterior column panels.<sup>a</sup>**

NIST Name	Bldg	Column	Floors	Specified Minimum Yield (ksi)			Stamping Observed		
				Column 1	Column 2	Column 3	Column 1	Column 2	Column 3
B-1024	WTC 2	154	21-24	50	50	50	NA	50	NA
B-1043	WTC 2	406	40-43	85	90	90	100	100	100
B-1044	WTC 2	409	40-43	85	80	85	100	80	100
C-10	WTC 1	451	85-88	85	85	90	100	100	100
C-13 or S-11 and C13a or S-19	WTC 2	200	90-92	100	100	100	100	NA	NA
C-14 or S-18	WTC 2	300	85-87	100	100	100	NA	NA	NA
C-18	WTC 2	230	93-96	55	55	55	55	55	55
C-22	WTC 1	157	93-96	80	75	80	80	NA	80
C-24	WTC 2	203	74-77	100	100	100	NA	NA	NA
C-25	WTC 1	206	89-92	80	80	80	80	NA	NA
C-40	WTC 1	136	98-101	60	60	55	NA	60	55
C-46	WTC 2	157	68-71	80	70	65	80	NA	65
C-48 or S-5	WTC 2	442	91 - 94	65	65	65	NA	65	NA
C-55	WTC 1	209	94-97	70	70	70	NA	70	NA
C-89	WTC 2	215	12 - 15	50	50	55	NA	NA	NA
C-92	WTC 2	130	93 - 96	60	60	60	60	NA	NA
C-93	WTC 1	339	99 - 102	60	60	60	NA	60	NA
CC	WTC 1	124	70-73	50	50	50	NA	50	50
K-1 or K-13	WTC 1	209	97-100	60	60	60	60	60	60
K-2 or K-40	WTC 1	236	92-95	65	65	65	NA	65	NA
M-2	WTC 1	130	96-99	55	55	55	55	55	55
M-10a	WTC 2	209	82-85	85	85	85	NA	NA	NA
M-10b	WTC 2	206	83-86	85	85	85	100	100	NA
M-20	WTC 1	121	99-102	55	55	55	NA	55	55
M-26	WTC 1	130	90-93	50	55	50	NA	55	50
M-27	WTC 1	130	93-96	50	55	55	50	55	NA
M-28	WTC 2	345	98 - 101	70	70	70	NA	NA	NA
M-30	WTC 1	133	94-97	55	55	55	NA	55	55
N-1	WTC 1	218	82-85	70	75	75	70	75	NA
N-7 or M-3	WTC 1	127	97-100	55	55	60	55	55	60
N-8 or M-7	WTC 1	142	97-100	60	60	60	NA	60	NA
N-9 or M-8	WTC 1	154	101-104	55	55	55	55	55	NA
N-10 or M-15	WTC 1	115	89-92	55	55	55	NA	55	55
N-12 or M-13	WTC 1	206	92-95	75	75	75	NA	75	75
N-13 or M-14	WTC 1	130	99-102	55	55	55	NA	NA	NA
N-99 or M-16	WTC 1	148	99-102	65	65	65	65	65	NA
N-101 or M-21	WTC 1	133	100-103	55	55	55	55	55	55
S-1 or EE	WTC 1	433	79-82	70	70	70	NA	70	70
S-9 or C-63	WTC 1	133	97-100	55	55	55	55	55	55
S-10 or C-17	WTC 1	224	92-95	70	70	70	70	70	NA
S-14 or C-20	WTC 2	218	91-94	65	65	70	65	65	70

a. Columns 1, 2, and 3 are viewed left to right as viewed from the inside of the building.

Key: NA, information not available.



**Table F–7. Specified and observed column types for positively identified exterior column panels.<sup>a</sup>**

NIST Name	Bldg	Column	Floors	Specified Column Type			Stamping Observed		
				Column 1	Column 2	Column 3	Column 1	Column 2	Column 3
B-1024	WTC 2	154	21-24	149	150	152	149	150	152
B-1043	WTC 2	406	40-43	335	334	334	335	334	334
B-1044	WTC 2	409	40-43	335	335	335	335	335	335
C-10	WTC 1	451	85-88	120	120	120	120	120	120
C-13 or S-11 and C13a or S-19	WTC 2	200	90-92	120	520	120	120	NA	NA
C-14 or S-18	WTC 2	300	85-87	122	522	120	NA	NA	NA
C-18	WTC 2	230	93-96	120	120	120	120	120	120
C-22	WTC 1	157	93-96	120	120	120	120	NA	120
C-24	WTC 2	203	74-77	325	325	325	Bottoms missing		
C-25	WTC 1	206	89-92	120	120	120	120	NA	NA
C-40	WTC 1	136	98-101	121	121	121	NA	121	121
C-46	WTC 2	157	68-71	126	128	129	126	NA	129
C-48 or S-5	WTC 2	442	91 - 94	120	120	120	NA	120	NA
C-55	WTC 1	209	94-97	120	120	120	NA	120	NA
C-89	WTC 2	215	12 - 15	147	145	143	NA	NA	NA
C-92	WTC 2	130	93 - 96	124	123	123	124	NA	NA
C-93	WTC 1	339	99 - 102	121	121	121	NA	121	NA
CC	WTC 1	124	70-73	133	133	133	NA	133	133
K-1 or K-13	WTC 1	209	97-100	120	120	120	120	120	120
K-2 or K-40	WTC 1	236	92-95	120	120	120	NA	120	NA
M-2	WTC 1	130	96-99	122	122	122	122	122	122
M-10a	WTC 2	209	82-85	120	120	120	NA	NA	NA
M-10b	WTC 2	206	83-86	120	120	120	120	120	NA
M-20	WTC 1	121	99-102	120	120	120	NA	120	120
M-26	WTC 1	130	90-93	125	125	125	NA	125	125
M-27	WTC 1	130	93-96	124	123	123	124	123	NA
M-28	WTC 2	345	98 - 101	120	120	120	NA	NA	NA
M-30	WTC 1	133	94-97	123	123	123	NA	123	123
N-1	WTC 1	218	82-85	123	123	123	123	123	NA
N-7 or M-3	WTC 1	127	97-100	121	121	121	121	121	121
N-8 or M-7	WTC 1	142	97-100	121	121	121	NA	121	NA
N-9 or M-8	WTC 1	154	101-104	120	120	120	120	120	NA
N-10 or M-15	WTC 1	115	89-92	125	125	125	NA	125	125
N-12 or M-13	WTC 1	206	92-95	120	120	120	NA	120	120
N-13 or M-14	WTC 1	130	99-102	121	121	120	NA	NA	NA
N-99 or M-16	WTC 1	148	99-102	120	120	120	120	120	NA
N-101 or M-21	WTC 1	133	100-103	120	120	120	120	120	120
S-1 or EE	WTC 1	433	79-82	123	123	123	NA	123	123
S-9 or C-63	WTC 1	133	97-100	122	122	122	122	122	122
S-10 or C-17	WTC 1	224	92-95	120	120	120	120	120	NA
S-14 or C-20	WTC 2	218	91-94	120	120	120	120	120	120

a. Columns 1, 2, and 3 are viewed left to right as viewed from the inside of the building.

Key: NA, information not available.

**Table F–8. Specified minimum yield strengths (ksi) from WTC 1 and WTC 2, along with the observed stampings, used to positively identify some exterior column panels.<sup>a</sup>**

NIST NAME	Markings	Column Line	Floors	Derrick Division	If WTC 1			If WTC 2			Observed			Confirmed identification	Full Identification
					Column 1	Column 2	Column 3	Column 1	Column 2	Column 3	Column 1	Column 2	Column 3		
C-10	451: 85 - 88	451	85 - 88	5x	90	85	85	80	80	80	100	100	100	WTC 1	A451: 85-88
C-55	209: 94 - 97	209	94 - 97	NA	70	70	70	60	60	60	NA	70	NA	WTC 1	A209: 94-97
C-92	B13x: 93-96	130	93 - 96	NA	"B" indicates WTC 2			60	60	60	60	NA	NA	130	B130: 93 - 96
		139	93 - 96	NA				65	60	60					
C-93	339: 99 - 102	339	99 - 102	NA	60	60	60	65	65	60	NA	60	NA	WTC 1	A339: 99 - 102
CC	124: 70 - 73	124	70 - 73	NA	50	50	50	55	55	55	NA	50	50	WTC 1	A124: 70-73
K-1	209: 97 - 100	290	97 - 100	NA	60	60	60	55	55	55	60	60	60	WTC 1	A209: 97-100
K-2	236: 92 - 95	236	92 - 95	NA	65	65	65	60	60	60	NA	65	NA	WTC 1	A236: 92-95
M-2	x - 9x <63>		90's	63	3 columns of column type 122						55	55	55		A130: 96-99
M-30	x33: 94 - 97	133	94 - 97	65	55	55	55	60	60	60	NA	55	55	WTC 1, 133	A133: 94-97
		233	94 - 97		60	60	60	55	55	55					
		333	94 - 97		55	55	55	60	60	60					
		433	94 - 97		65	65	65	55	55	50					
N-1	2x8: 82 - 85	218	82 - 85	5x	70	75	75	60	60	65	70	75	NA	WTC 1, 218	A218: 82-85
		248	82 - 85		Column line 248 spans either floors 81 - 84 or 84 - 87										
N-7	127: 97 - 100	127	97 - 100	NA	60	55	55	60	65	60	60	55	55		
N-12	x06: 92 - 95	106	92 - 95	69	65	65	65	65	65	70	NA	75	75	WTC 1, 206	A206: 92-95
		206	92 - 95		75	75	75	65	65	65					
		306	92 - 95		65	65	65	65	65	70					
		406	92 - 95		70	70	70	70	70	70					
S-10 or C-17	224: 92 - 95	224	92 - 95	NA	70	70	70	60	60	60	70	70	NA	WTC 1	A224: 92-95

a. Columns 1, 2, and 3 are left to right viewed from inside the building.

**Table F-9. Specified column types of exterior panels from WTC 1 and WTC 2, along with the observed stampings, used to positively identify some exterior column panels.<sup>a</sup>**

NIST NAME	Markings	Column Line	Floors	If WTC 1			If WTC 2			Observed			Confirmed identification
				Column 1	Column 2	Column 3	Column 1	Column 2	Column 3	Column 1	Column 2	Column 3	
C-10	451: 85 - 88	451	85 - 88	120	120	120	120	120	120	120	120	120	Inconclusive
C-55	209: 94 - 97	209	94 - 97	120	120	120	120	120	120	NA	120	NA	Inconclusive
C-92	B13x: 93-96	130 139	93 - 96 93 - 96	"B" indicates WTC 2			124	123	123	124	NA	NA	130
							123	124	124				
C-93	339: 99 - 102	339	99 - 102	121	121	121	121	121	121	NA	121	NA	Inconclusive
CC	124: 70 - 73	124	70 - 73	133	133	133	133	133	133	133	133	NA	Inconclusive
K-1	209: 97 - 100	290	97 - 100	120	120	120	120	120	120	120	120	120	Inconclusive
K-2	236: 92 - 95	236	92 - 95	120	120	120	120	120	120	NA	120	NA	Inconclusive
M-2	x - 9x <63>		90's	3 columns of having 55 ksi						122	122	122	Inconclusive
M-30	x33: 94 - 97	133 233 333 433	94 - 97 94 - 97 94 - 97 94 - 97							123	123	NA	233 and 433 eliminated
N-1	2x8: 82 - 85	218 248	82 - 85 82 - 85	123	123	123	123	123	123	NA	123	123	218
N-7	127: 97 - 100	127	97 - 100	121	121	121	121	121	121	121	121	121	Inconclusive
N-12	x06: 92 - 95	106 206 306 406	92 - 95 92 - 95 92 - 95 92 - 95	122	122	122	122	122	122	120	120	NA	106 and 306 eliminated
S-10 or C-17	224: 92 - 95	224	92 - 95	120	120	120	120	120	120	NA	120	120	Inconclusive

a. Columns 1, 2, and 3 are left to right viewed from inside the building.

- **K-2**: The stampings indicated that the center column line number was 236 and the panel spanned floors 92 through 95; however, no building information was observed. By reviewing the flange stampings (Table F-8), the piece was determined to belong to WTC 1.
- **M-2**: No information was available from the stampings at the base of the middle column, and very little information was recovered from the stenciling on the spandrel. A derrick division number of <63> was observed, placing the element in WTC 1 (Table F-8). The only other information was – 9, indicating that some portion of the panel was located in the 90s-floor-level range. The flange stampings from the recovered piece specified that all three columns were of the 122 type, with FY 55 ksi steel. In addition, columns 1 and 3 had floor truss seats, while column 2 had gusset plates for the diagonal bracing straps. Reviewing the building design drawings, it was found that five panels meet the 122 column type, with 55 ksi steel in the 90s range (Table F-10). Of these, only two panels had columns 1 and 3 with floor truss seats (130: 96 through 99 and 330: 96 through 99). As shown in Fig. F-7, the derrick division of <63> identifies the panel as 130: 96 through 99.
- **M-10a**: The sample was identified solely by association to another panel (bolted spandrel connection). The sample M-10 retrieved by SEAoNY was actually composed of pieces from two different exterior column panels (Fig. F-8). Therefore, with the positive identification of M-10b via the stampings and stencils, M-10a's connection to it allowed its identification as WTC 2,209: 82 through 85.
- **M-28**: The stampings indicated that the center column line number was 345 and the panel was located in WTC 2. However, the markings of the floors spanned were partially obscured; 9x – 1xx. By reviewing the building design drawings, the only panel that could fit spanned floors 98 through 101.
- **M-30**: The stampings found were x33 94-97, where the “x” signifies missing information due to a weld bead running across this area. Thus, the building and exact center column line numbers were unknown. However, a derrick division number of <65> was visible on the interior spandrel. From this information, as well as the specified minimum yield strength (Table F-8) and column type (Table F-9), M-30 was determined to belong to WTC 1, with a center column line number of 133.
- **N-1**: The stampings indicated that the columns spanned floors 82 through 85; however, no building information was observed, and a weld bead ran through the middle of the center column line number, yielding only 2x8. By reviewing the building plans, only column line 218 spanned the floors specified, and the flange stampings (Tables F-8 and F-9) indicated that the piece belonged to WTC 1.
- **N-7**: The stampings indicated that the center column line number was 127 and the panel spanned floors 97 through 100, however, no building information was observed. By reviewing the flange stampings (Table F-8), the piece was determined to belong to WTC 1.
- **N-12**: The stampings found were x06 92-95 where the x signifies missing information due to a weld bead running across this area. Thus, the building and exact center column line numbers were unknown. However, a derrick division number of <69> was visible on the

**Table F-10. Information used to determine the identification of exterior panel M-2.**

1) 5 panels in WTC 1, floors 90-99 that meet the criterion of 3 columns<sup>a</sup> with column type 122 and 55 ksi

PANEL NUMBER			SPANDREL 1				SPANDREL 2				SPANDREL 3			
Center Col #	Story @ Splice		FLOOR	SEAT DETAIL			FLOOR	SEAT DETAIL			FLOOR	SEAT DETAIL		
	Lower	Upper		COL 1	COL 2	COL 3		COL 1	COL 2	COL 3		COL 1	COL 2	COL 3
127	94	97	97	5110	1411	5210	96	5110	1411	5210	95	5110	1411	5210
130	96	99	99	1411	5210	1411	98	1411	5210	1411	97	1411	5210	1411
330	96	99	99	1411	5210	1411	98	1411	5210	1411	97	1411	5210	1411
133	97	100	100	5210	1411	5110	99	5210	1411	5110	98	5210	1411	5110
333	97	100	100	5210	1411	5110	99	5210	1411	5110	98	5210	1411	5110

2) Only two panels that meet the additional criterion of columns 1 and 3 having truss seat attachments and column 2 having gusset plate attachments

- Seat detail 5110 and 5120 are gusset plates for diagonal bracing straps


- Seat detail 1411 are truss seat attachments

PANEL NUMBER			SPANDREL 1				SPANDREL 2				SPANDREL 3			
Center Col #	Story @ Splice		FLOOR	SEAT DETAIL			FLOOR	SEAT DETAIL			FLOOR	SEAT DETAIL		
	Lower	Upper		COL 1	COL 2	COL 3		COL 1	COL 2	COL 3		COL 1	COL 2	COL 3
130	96	99	99	1411	5210	1411	98	1411	5210	1411	97	1411	5210	1411
330	96	99	99	1411	5210	1411	98	1411	5210	1411	97	1411	5210	1411

3) Derrick Division suggests that panel came from North face of WTC 1, i.e., panel in the 100-series

PANEL NUMBER			SPANDREL 1			SPANDREL 2			SPANDREL 3					
Center Col #	Story @ Splice		FLOOR	SEAT DETAIL			FLOOR	SEAT DETAIL			FLOOR	SEAT DETAIL		
	Lower	Upper		COL 1	COL 2	COL 3		COL 1	COL 2	COL 3		COL 1	COL 2	COL 3
130	96	99	99	1411	5210	1411	98	1411	5210	1411	97	1411	5210	1411

a. Columns 1, 2, and 3 are left to right viewed from inside the building.



**Figure F-8. Schematic showing the sample M-10 as two separate exterior column panels, M-10a and M-10b.**

interior spandrel. From this information, as well as the specified minimum yield strength (Table F-8) and column type (Table F-9), it was determined that N-12 belonged to WTC 1, with a center column line number of 206.

- **S-10 or C-17:** The stampings indicated that the center column line number was 224 and the panel spanned floors 92 through 95, however, no building information was observed. By reviewing the flange stampings (Table F-8), the piece was determined to belong to WTC 1.

In addition to the overall images taken for record-keeping purposes, the exterior column panels were mapped to indicate how much of the panel was recovered after the collapse. Figure F-9 displays schematics of typical exterior panels recovered, and Figs. F-10 and F-11 show these maps, with the recovered portion indicated, for the identified samples from WTC 1 and WTC 2, respectively. Special note should be given to the fact that these diagrams are drawn as if viewed from the outside of the building. B-1043, B-1044, and C-24 were samples located at the mechanical floors of the building. C-13 and C-13a (pieces of the same exterior panel) and C-14 were exterior wall panels located at the corner of the building.

For the 12 samples identified as core column material (Table F-3), all but 2 were clearly marked. Sample C-30 had markings that clearly indicated the building and column; however, the floors were partially





Figure F-9. Schematics displaying the various types of exterior column panels.



**Figure F-10. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 1.**






Figure F-10. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 1 (continued).




Figure F-10. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 1 (continued).





Figure F-10. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 1 (continued).



**Figure F-10. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 1 (continued).**





Figure F-10. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 1 (continued).



**Figure F-10. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 1 (continued).**




Figure F-11. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 2.




Figure F-11. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 2 (continued).







Figure F-11. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 2 (continued).



**Figure F-11. Exterior column panel maps indicating the portion of the specific exterior column panel section recovered from WTC 2 (continued).**

obscured: “x04 – 10x”. As the 24 ft section has both connector ends, it spanned only two floors and fit with the floor levels of 104–106. The second sample was C-88b, which did not have any stampings or markings, but was welded to C-88a (identified by stampings). A final sample, C-83, was also found among this group. While no markings were found on the sample, it was recorded as a core column due to its shape, which was very similar to C-90.

There were 13 other wide flange sections that had stampings and/or markings that did not correspond to the code as discussed above (Table F–4). Instead, there were typically three distinct grouping of numbers and/or letters. Two examples are:

Sample C-44: “59 S 563”

Sample M-17: “163 9 62”

Given the position of the last grouping and the numbers typically found there, this is probably the derrick division. The first two most likely indicate the as-built locations of the pieces within the building. NIST is still investigating the identification of these samples.

Floor trusses were also recovered; however, attempts to identify their specific as-built locations within the buildings were not successful. No stampings were found. Of the 23 pieces held by NIST, 8 are of significant size but are badly tangled and twisted as a result of the collapse and subsequent handling of the material. The remaining pieces consist of shorter sections of chord and rod material in addition to welded sections that connected the trusses to the floor seats.

At present, there are seven samples from WTC 5, all in the GZ-series (see Attachment 1.2.9). These are coupons that were removed at the WTC site and held by GMS, LLP. They were subsequently sent to NIST once the Investigation officially began.

No structural elements have been positively identified from WTC 7. However, the columns were fabricated from conventional 36 ksi, 42 ksi, and 50 ksi steel that complied with ASTM specifications.

## **F.5 STRUCTURAL STEEL ELEMENTS OF SPECIAL IMPORTANCE**


Of the 41 exterior column panels and 12 core columns positively identified, many were considered especially important to this Investigation. Two major categories of steel are considered to be of special value:

- Samples located in or around the floors impacted by the airplane
- Samples that can represent 1 of 14 grades of steel specified for the exterior columns, 1 of 4 grades of steel specified for the core columns, and 1 of the 2 grades of steel for the floor trusses


### **F.5.1 Samples Located in or Around the Floors Impacted by the Airplane**

Interpretation of the photographic evidence revealed that damage to WTC 1 due to aircraft impact occurred from floor 94 to floor 99 and was bounded by columns 111 through 152. For WTC 2, the impact area was lower with damage found from floor 77 to floor 85. While the damage appears to be bordered by column lines 411 and 440, columns closer to the southeast corner of the building may also have been affected. However, few images were obtained where smoke is not obscuring this portion of the

south face of WTC 2 to complete the analysis. From this information, NIST was able to determine which perimeter panels and core columns could be used to comment on damage and possible failure mechanisms in this area. Figure F-12 shows the sample overlay of the exterior panels in NIST's possession in and around the impact zone of WTC 1. Sample C-80, a core column, was also identified as residing near the impact zone. The recovered portion of each column is approximately represented in this image. Unfortunately, there were no similar corresponding exterior panels for WTC 2, but two core columns were recovered, (Fig. F-13). Later reports will describe the type of damage and failure mechanisms associated with each sample.



**Figure F-12. Interpreted column damage, from photographic evidence, to WTC 1, with overlay of samples in NIST's possession.**



**Figure F-13. Interpreted column damage, from photographic evidence, to WTC 2, with overlay of samples in NIST's possession.**

#### **F.5.2 Samples Representing the Various Types of Steel Specified in the Design Drawings**

The other grouping of samples that was deemed important was that which belonged to one of the different grades of steel specified in the buildings' construction. The following minimum yield strengths, in ksi (1 ksi equals 1,000 pounds per square inch), were specified for each structural element:

- Columns of the exterior panels: 36, 42, 45, 46, 50, 55, 60, 65, 70, 75, 80, 85, 90, and 100
- Core columns: 36, 42, 46, and 50
- Floor truss material: 36 and 50

From the recovered steel, sufficient representative samples from each important class of steel groups are available for a full examination (i.e., chemical, metallurgical, and mechanical property analyses) to investigate why and how WTC 1 and WTC 2 collapsed following the initial impact of the aircraft. From Table F-11, it can be seen that 10 of the 14 types of steel specified for the columns are represented, and 10 of the 12 grades of spandrel material have been identified. Additionally, sample ASCE-3 (as-built location in the building not identified) has a flange stamping of 45 for the minimum yield requirement, which would increase the total number of perimeter column material types to 11. One important note is that from the observed stampings of the recovered elements and other documents (see Appendix C), it appears that 100 ksi steel was substituted for the 85 ksi and 90 ksi grades in the construction of the exterior panels (Table F-6). Considering both column and spandrel material, samples of all grades specified for the perimeter panels are available. While only two of the four grades of steels were obtained (36 ksi and 42 ksi) for the core columns (Table F-3), 99 percent of the total number of core columns were fabricated from these two grades. For the floor truss material, the samples could not be identified as to their precise, as-built locations within the buildings. However, initial chemical and mechanical property analyses have shown that both minimum yield strength materials specified have been recovered. Characterization of these samples will be covered extensively in a later report.

## **F.6 SUMMARY**

NIST has 236 samples from the WTC buildings, the majority belonging to WTC 1 and WTC 2. These samples represent roughly 0.25 percent to 0.5 percent of the 200,000 tons of structural steel used in the construction of the two towers. NIST believes the collection of steel from the WTC towers is sufficient for the Investigation. This assertion is drawn from the following two statements. First, recovery of material from locations in or near the impact and fire damaged regions of WTC 1 and WTC 2 was remarkably good, including four exterior panels directly hit by the airplane and three core columns located within these areas. Second, sufficient representative samples exist for all 14 grades of exterior panel material, 2 grades of the core column material (which represents 99 percent, by total number, of columns), and both grades for the floor truss material.

This report identifies the structural steel elements recovered from the WTC towers. Later reports will determine the physical and mechanical properties of the steels and weld metal and the characteristics of the metal, weldments, and connections from WTC buildings. Additionally, a damage assessment/failures mode examination of the recovered structural steel elements will be performed. This information will be utilized in an effort to determine why and how WTC 1 and WTC 2 collapsed following the initial impact of the aircraft.

**Table F-11. Listing of recovered exterior column panels with specified minimum yield strengths and thicknesses for columns<sup>a</sup> and spandrels.**

NIST NAME	Bldg	Center Column #	Stories located at splice		Panel Type	COLUMN 1		COLUMN 2		COLUMN 3		LOWER SPANDREL		MIDDLE SPANDREL		UPPER SPANDREL	
			Lower	Upper		Column Type	FY (ksi)	Column Type	FY (ksi)	Column Type	FY (ksi)	Thickness (in)	FY (ksi)	Thickness (in)	FY (ksi)	Thickness (in)	FY (ksi)
B-1024	WTC 2	154	21	24	300	152	50	150	50	149	50	1.25	36	1.25	36	1.25	36
OC	WTC 1	124	70	73	300	133	50	133	50	433	50	0.5625	36	0.5625	36	0.5625	36
M-26	WTC 1	130	90	93	300	125	50	125	55	125	50	0.375	36	0.375	36	0.375	36
M-27	WTC 1	130	93	96	300	433	55	124	55	124	50	0.375	36	0.375	36	0.375	36
M-2	WTC 1	130	96	99	300	122	55	122	55	122	55	0.375	36	0.375	42	0.375	36
M-30	WTC 1	133	94	97	300	123	55	123	55	433	55	0.375	36	0.375	36	0.375	42
C-18	WTC 2	230	93	96	300	120	55	120	55	120	55	0.375	45	0.375	42	0.375	42
N-9	WTC 1	154	101	104	300	120	55	120	55	120	55	0.375	42	0.375	36	0.375	36
M-20	WTC 1	121	99	102	300	120	55	120	55	430	55	0.375	42	0.375	42	0.375	36
N-13	WTC 1	130	99	102	300	120	55	121	55	121	55	0.375	42	0.375	42	0.375	36
N-101	WTC 1	133	100	103	300	120	55	120	55	120	55	0.375	42	0.375	36	0.375	36
S-9	WTC 1	133	97	100	300	122	55	122	55	122	55	0.375	36	0.375	42	0.375	36
N-10	WTC 1	115	89	92	300	125	55	125	55	435	55	0.375	36	0.375	42	0.375	42
C-40	WTC 1	136	98	101	300	121	55	121	60	431	60	0.375	42	0.375	36	0.375	42
C-89	WTC 2	215	12	15	300	143	55	145	50	447	50	1.375	36	1.375	36	1.375	36
N-7	WTC 1	127	97	100	300	121	60	121	55	121	55	0.375	42	0.375	42	0.375	42
C-92	WTC 2	130	93	96	300	433	60	433	60	124	60	0.375	42	0.375	42	0.375	42
C-93	WTC 1	339	99	102	300	431	60	431	60	431	60	0.375	42	0.375	42	0.375	42
K-1	WTC 1	209	97	100	300	120	60	120	60	120	60	0.375	42	0.375	42	0.375	42
K-2	WTC 1	236	92	95	300	430	60	120	60	430	60	0.375	42	0.375	42	0.375	42
N-8	WTC 1	142	97	100	300	121	60	121	60	121	60	0.375	42	0.375	42	0.375	42
C-48	WTC 2	442	91	94	300	120	65	120	65	430	65	0.375	45	0.375	45	0.375	42
N-99	WTC 1	148	99	102	300	120	65	120	65	120	65	0.375	45	0.375	42	0.375	42
S-14	WTC 2	218	91	94	300	120	70	120	65	120	65	0.375	45	0.375	45	0.375	45
M-28	WTC 2	345	98	101	300	120	70	120	70	120	70	0.375	45	0.375	45	0.375	45
C-55	WTC 1	209	94	97	300	430	70	120	70	430	70	0.375	46	0.375	45	0.375	45
S-10	WTC 1	224	92	95	300	430	70	120	70	120	70	0.375	50	0.375	46	0.375	45
S-1	WTC 1	433	79	82	300	123	70	123	70	433	70	0.4375	50	0.4375	46	0.4375	45
N-1	WTC 1	218	82	85	300	433	75	123	75	123	70	0.4375	50	0.375	50	0.375	50
C-46	WTC 2	157	68	71	300	129	65	128	70	126	80	0.625	65	0.625	65	0.5625	65
N-12	WTC 1	206	92	95	300	120	75	120	75	430	75	0.375	50	0.375	50	0.375	46
C-22	WTC 1	157	93	96	300	120	80	120	75	120	80	0.375	65	0.375	60	0.375	60
C-25	WTC 1	206	89	92	300	430	80	430	80	120	80	0.375	55	0.375	55	0.375	55
B-1044	WTC 2	409	40	43	400	335	85	335	80	335	85	0.9375	60	n/a	n/a	0.9375	50
M-10a	WTC 2	209	82	85	300	120	85	120	85	120	85	0.375	60	0.375	60	0.375	60
M-10b	WTC 2	206	83	86	300	120	85	120	85	120	85	0.375	60	0.375	60	0.375	60
C-10	WTC 1	451	85	88	300	120	85	120	85	120	90	0.375	60	0.375	60	0.375	60
B-1043	WTC 2	406	40	43	400	334	90	334	90	335	85	0.9375	65	n/a	n/a	0.9375	50
C-24	WTC 2	203	74	77	400	325	100	325	100	325	100	0.5624	70	n/a	n/a	0.5625	80
C-13 and C-13a	WTC 2	200	90	92	210	120	100	520	100	430	100	n/a	n/a	0.375	70	0.375	70
C-14	WTC 2	300	85	87	210	120	100	522	100	432	100	n/a	n/a	0.375	75	0.375	75

a. Columns 1, 2, and 3 are left to right viewed from inside the building.  
Strike through indicates section is missing.

## **F.7 REFERENCES**

### **F.7.1 References from Publicly Available Sources**

McAllister, T., ed. 2002. *World Trade Center Building Performance Study: Data Collection, Preliminary Observations, and Recommendations*. FEMA Report 403. Federal Emergency Management Agency. Washington, DC, May.

### **F.7.2 References from Nonpublic Sources**

Faschan, W. 2002. Leslie E. Robertson Associates, New York, NY, personal communication to F. Gayle, Project Leader, World Trade Center Investigation, NIST, Gaithersburg, MD, May 21.

PONYA (Port of New York Authority). 1967. to Steel Fabricators, Detailers, and Erectors on “Shop Drawing Procedures and Marking Systems,” May 1.

Voorsanger and Associates Architects, PC. 2002. *WTC Archives Interim Storage Facility, JFK International Airport: Preservation and Inventory Report, Draft 2*. New York, NY, November.



# Attachment 1

## DATA ON RECOVERED WTC STEEL

### 1.1 DATABASE OF RECOVERED STEEL

**Table 1–1. List of all WTC steel elements recovered for NIST investigation.**

In FEMA report?	NIST Name	Type	Brief Description	Markings	Bldg	Column	Floors	Location
Y	C-67	C	1 column, rest unknown					205
Y	C-68	C	1 column, upper 1/2					205
Y	C-69	W	Wide flange					205
Y	C-70 (formerly U-9)	W	Wide flange					205
Y	C-71	W	Wide flange	904A 77-80	WTC 1	904	77 - 80	PL
Y	C-72b	W	Wide flange					205
Y	C-73	C	1 column, upper 1/2					205
Y	C-74	W	Wide flange					205
Y	C-75	C	portion of 1 column and spandrel, rest unknown					236
Y	C-76	W	Wide flange					205
Y	C-77	C	2 columns from different panels attached at spandrel, 1/3rd of each					205
Y	C-78 (formerly U-8)	W	Wide flange					205
Y	C-79	RB	Rectangular column, FEMA reported possible core column	101A 81 - 85 - 87 -92 52	WTC 1			PL
Y	C-80	W	Wide flange, FEMA reported possible core columns	603A 92-95 <51>	WTC 1	603	92-95	PL
Y	C-81	W	Wide flange					205
Y	C-82	W	Wide flange					205
Y (NSF)	C-83	RB	Heavy rectangular column, FEMA reported as possible core column	No ID, similar to other core column				PL
Y (NSF)	C-84	C	1 full column					PL
Y (NSF)	C-85	W	Wide flange					205
Y	C-87	W	Thick Wide flange					205
Y	C-88a	RB	Not typical column section, both webs are same length, FEMA reported possible core column	801B 80-83	WTC 2	801	80-83	PL
	C-88b		Welded to above piece	801B 77-80	WTC 2	801	77-80	PL
	C88c (formerly U-22)	O	Broke off C-88					PL
Y (NSF)	C-89	C	2 full columns	B 215: 12 - 15	WTC 2	215	12 - 15	PL
Y (NSF)	C-90	RB	Heavy rectangular column, FEMA reported as possible core column	701B 12 - 15	WTC 2	701	12 - 15	PL
Y	C-91	Ch	Channel					236
Y	C-92	C	Partial of single column	B13x: 93-96	WTC 2	130	93 - 96	PL
Y	C-93	C	Partial of single column	339: 99 - 102	WTC 1	339	99 - 102	PL
	C-94	O	May be some type of brace, rectangular box construction					PL
	C-95	Ch	Channel					236
	C-96	Ch	Channel					236
	C-97	Ch	Channel					236
	C-98	Ch	Channel					236
	C-99	Ch	Channel					236
	C-100	J	Possible angle from a floor truss					PL
	C-101 (formerly U-16)	RB	Similar to corner column, but much thinner	78A 10 27 50				PL
	C-102	C	Partial of single column					205
	C-103	O	Square-tube construction					PL
	C-104	J	Possible angle from a floor truss					PL
	C-105	Ch	Channel					236
	C-106 (formerly U-18)	J	Small piece of floor truss					202
	C-107 (formerly U-19)	Ch	Channel					236
	C-108	B	Three sheared bolts					Lab
	C-109	B	Single bolt sheared					Lab
	C-110	B	Bolt and nut					Lab
	C-111	B	Bolt and washer					Lab
	C-112	B	Single bolt sheared					Lab
	C-113	B	Two sheared bolts with washers					Lab
	C-114	B	Sheared bolt with nut					Lab
	C-115	J	Pig-tailed piece from floor truss					Lab
	C-116	H	Damper					Lab
	C-117	C	3 columns, lower 1/3	101-104				PL
	C-118	Ch	Channel					236
	C-119A	O	Square-tube construction					PL
	C-119B	O	Square-tube construction					PL
	C-120	O	Square-tube construction					PL
	C-121	O	Square-tube construction					PL
	C-122	J	Piece of floor truss					PL
	C-123	W	Small Wide flange					205
	C-124	Ch	Channel					236
	C-125	Ch	Channel					236
	C-126	W	Wide flange					205
	C-128	Ch	Channel					B
	C-129	Ch	Channel					236
	C-130	W	Wide Flange					205
	C-131	J	Small portion of floor truss with cement					202

**Table 1–1. List of all WTC steel elements recovered for NIST investigation (continued).**

In FEMA report?	NIST Name	Type	Brief Description	Markings	Bldg	Column	Floors	Location
	C-132	J	Piece of floor truss					PL
	C-133	C	1 column, bottom 1/3rd of unknown location					205
	C-134	Ch	Channel					236
	C-135	O	May be some type of brace, rectangular box construction					PL
	C-137a	J	Piece of floor truss					PL
	C-137b	J	Piece of floor truss					PL
	C-137c	J	Piece of floor truss					PL
	C-137d	J	Piece of floor truss					PL
	C-137f	J	Piece of floor truss					PL
	C-138	W	Small wide flange					205
	C-139	Ch	Channel					236
	C-140	J	Piece of angle					PL
	C-141	Ch	Channel					236
	C-142	W	Wide flange					205
	C-143	Ch	Channel					236
	C-144	Ch	Channel					236
	C-145	Ch	Channel					236
	C-146a	O	Mangled ball of steel and concrete					202
	C-146b	J	Piece of floor truss					PL
	C-147	Ch	Channel					236
	C-148	Ch	Channel					236
	C-149	J	Piece of floor truss					PL
	C-150	W	Wide flange					205
	C-151	J	Piece of floor truss					PL
	C-152	Ch	Channel					236
	C-153	Ch	Channel					236
	C-154	RB	Thin rectangular beam with supports	825 107-108 52				PL
	C-155 (formerly U-5)	W	Wide flange	904A 83-86	WTC 1	904	83-86	PL
	C-156 (formerly U-17)	O	Square-tube construction					PL
Y	CC	C	2 full columns	124: 73-70	WTC 1	124	70-73	PL
Y	DD	C	1 Column, spans 1 floor and has end plates on both ends					205
Y	FF	C	Single, thick column					205
	GZ-1	Cn5	Received from D. Sharp, coupon from Bldg #5					Lab
	GZ-2	Cn5	Received from D. Sharp, coupon from Bldg #5					Lab
	GZ-3	Cn5	Received from D. Sharp, coupon from Bldg #5					Lab
	GZ-4	Cn5	Received from D. Sharp, coupon from Bldg #5					Lab
	GZ-5	Cn5	Received from D. Sharp, coupon from Bldg #5					Lab
	GZ-6	Cn5	Received from D. Sharp, coupon from Bldg #5					Lab
	GZ-7	Cn5	Received from D. Sharp, coupon from Bldg #5					Lab
Y	HH or S-2	W	Wide flange, FEMA reported possible core column	605A 98-101	WTC 1	605	98-101	PL
floors in report)	K-1 or K-13	C	3 columns, lower 1/3rd	209: 97-100	WTC 1	209	97-100	202
Y	K-2 or K-40	C	1 column, lower 2/3rds	236: 92-95	WTC 1	236	92-95	PL
Y	K-10	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-11	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-12	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-13	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-14	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-15	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-16	C	1 full column, thick, looks very corroded					PL
	K-16a (formerly U-23)	C	Fell off of K-16 while moving					PL
Y	K-18	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-19a	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-19b	Cn	Flange coupon received from Gross, July 29, 2002					Lab
Y	K-50a	O	Rectangular slab of steel with bolts, received from D. Sharp, SEAoNY					Lab
Y	K-50b	O	Rectangular slab of steel with bolts, received from D. Sharp, SEAoNY					Lab
Y	K-50c	O	Rectangular slab of steel with bolts, received from D. Sharp, SEAoNY					Lab
Y	M-2	C	Full panel	-9 <63>	WTC 1	130	96-99	PL
Both are in report but listed separately	M-4 or M-5	C	3 columns, upper 2/3rds					205
Y	M-10a	C	3 columns, unknown location	B209: 82-85	WTC 2	206	82-85	PL
Y	M-10b	C	3 columns, lower 1/2	B206: 83-86	WTC 2	206	83-86	PL
Y	M-11	W	Wide flange					205
Y	M-17	W	Wide flange or I-beam, 1' flange, 2' web, 50 ft to 60 ft long	163 (9) 62				205
	M-17a (formerly U-24)	O	Fell off of M-17 while moving					202

**Table 1–1. List of all WTC steel elements recovered for NIST investigation (continued).**

In FEMA report?	NIST Name	Type	Brief Description	Markings	Bldg	Column	Floors	Location
	M-18	RB	Large box beam, 19 in. x 21 in. x 17.5 ft long					205
	M-19	C	2 columns, upper 1/3rd					205
	M-20	C	2 columns, lower 1/3rd	A121: 99-102	WTC 1	121	99-102	PL
	M-22	RB	Large box beam, 19 in. x 26.5 in. x 9.5 ft long, etc.					205
	M-23	W	Possibly part of Wide flange or I-beam	F 2010				PL
	M-24	Ch	Channel					236
	M-25	J	Small piece of floor truss					202
	M-26	C	3 full columns	A130: 90-93	WTC 1	130	90-93	PL
	M-26 associated	B	8 bolts and a nut					Lab
	M-27	C	2 columns, lower 3/4ths	A130: 93-96	WTC 1	130	93-96	202
	M-28	C	3 columns, lower 1/4th	B345: 9x - 1xx	WTC 2	345	98 - 101	PL
	M-29	O	5 ft piece of strapping					202
	M-30	C	2 columns, lower 1/3rd	_33: 94-97	WTC 1	133	94-97	202
	M-30 associated	O	Pieces of glass, plexiglass, other rubble					Lab
	M-31	J	Pieces of floor truss					Lab
	M-32	J	Pieces of floor truss					Lab
	M-33	W	Wide flange					205
	M-34	Ch	Channel					B
	M-35	CC	Corner column					205
	M-36	J	Thick angle					PL
	M-37	W	Wide flange	130 (67-92) <50>				205
	M-38	W	Wide flange	Fy 42				PL
Y	N-1	C	2 full columns	2_8: 82-85	WTC 1	218	82-85	PL
Y	N-3	C	1 column, upper 1/2					236
Y	N-4	C	1 column, middle 1/3rd					236
Y	N-5	O	Part of spandrel plate with bolts					PL
Y	N-6 (formerly U-2)	C	1 column, length of spandrel, crushed					236
Y (as M-3)	N-7 or M-3	C	3 full columns	127: 97-100	WTC 1	127	97-100	PL
Y (as M-7)	N-8 or M-7	C	Full panel	A142: 97-100	WTC 1	142	97-100	PL
Y (as M-8)	N-9 or M-8	C	Almost full panel, missing lower 1/3rd of 1 column	A154: 101-104	WTC 1	154	101-104	PL
Y (as M-15)	N-10 or M-15	C	2 columns, lower 2/3rds	A115: 89-92	WTC 1	115	89-92	PL
Y (as M-9)	N-11 or M-9	C	3 columns, upper 2/3rds					205
Y (as M-13)	N-12 or M-13	C	2 full columns	_06: 92-95	WTC 1	206	92-95	PL
Y (as M-14)	N-13 or M-14	C	3 columns, lower 1/3rd	A130: 99-102	WTC 1	130	99-102	B
Y (as M-16)	N-99 or M-16	C	Almost full panel, missing lower 1/3rd of 1 column	A148: 99-102	WTC 1	148	99-102	PL
	N-101 or M-21	C	3 full columns	A133: 100-103	WTC 1	133	100-103	PL
Y (as C-19)	N-N or C-19	C	1 column, lower 1/2					205
Y (as EE)	S-1 or EE	C	2 columns, lower 1/3rd	A433: 79-82	WTC 1	433	79-82	PL
Y (as C-50)	S-3 or C-50	C	1 column, unknown 1/2					205
Y (as C-63)	S-9 or C-63	C	Full panel	A133: 97-100	WTC 1	133	97-100	PL
Y (as C-17)	S-10 or C-17	C	2 columns, lower 1/2	224: 92-95	WTC 1	224	92-95	PL
Y (as C-20)	S-14 or C-20	C	Full panel	B218: 91-94	WTC 2	218	91-94	PL
	SM-2	W	I-beam					205
Y (as N-2)	T-1 or N-2	J	Floor truss material					202
	U-6	C	3 columns, upper 1/4					236
	U-15	C	Partial of single column					205
	U-25	O	Unknown Wide flange with concrete	<North> 84-155 A8 Div 2				205
Y	W-14A or A	W	Heavy Wide flange					205
Y	W-14B	W	Heavy Wide flange					PL

**Key:** 202, Bldg 202, high bay; 205, Bldg 205, parking lot; PL, Bldg 202, parking lot; 236, Bldg 236, parking lot; B, bolt; BT, bowtie section of exterior wall; C, flat wall, exterior column panel section; CC, corner panel section of exterior wall; Ch, channel; Cn, coupon of exterior column; Cn5, coupon from WTC 5; H, hanger; J, floor truss; NSF, pieces contributed by A. Asteneh salvaged under NSF contract; O, other; RB, rectangular, built-up box column; W, wide flange section; Lab, Bldg 223, Rm B253; JFK, Hanger 17, JFK Airport; JFK/PL, Main piece at JFK, portion at NIST.

**Table 1–2. List of identified exterior panel sections.**

<b>In FEMA report?</b>	<b>NIST Name</b>	<b>Type</b>	<b>Brief Description</b>	<b>Markings</b>	<b>Bldg</b>	<b>Column</b>	<b>Floors</b>
	B-1024	C	3 full columns	B154: 21-24	WTC2	154	21-24
	B-1043	C	Mechanical floor, 3 full columns	B406: 40-43	WTC2	406	40-43
	B-1044	C	Mechanical floor, 3 full columns	B409: 40-43	WTC2	409	40-43
Y	C-10	C	Full panel	451: 85-88	WTC1	451	85-88
Y	C-13 or S-11	CC	Single rectangular column with large spandrels	B200: 90-92	WTC2	200	90-92
Y	C-13a or S-19	C	Partial of single column	B200: 90-92	WTC2	200	90-92
Y	C-14 or S-18	C	1 column, lower 1/3rd	B300: 85-87	WTC2	300	85-87
Y	C-18	C	3 columns, bottom 2/3rds	B230: 93-96	WTC2	230	93-96
Y	C-22	C	3 columns, lower 1/2, mangled	A157: 93-96	WTC1	157	93-96
Y	C-24	C	3 columns, upper 1/2, columns change dimensions	B203: 74-77	WTC2	203	74-77
Y	C-25	C	1 column, lower 1/2	A206: 89-92	WTC1	206	89-92
Y	C-40	C	2 columns, lower 2/3rds	A136: 98-101	WTC1	136	98-101
Y	C-46	C	Nearly 3 full columns	B157: 68-71	WTC2	157	68-71
Y	C-48 or S-5	C	Nearly 2 full columns	B442: 91-94	WTC2	442	91 - 94
Y	C-55	C	1 column, lower 1/3rd	209: 94-97	WTC1	209	94-97
Y (NSF)	C-89	C	2 full columns	B215: 12 - 15	WTC2	215	12 - 15
Y	C-92	C	Partial of single column	B13x: 93-96	WTC2	130	93 - 96
Y	C-93	C	Partial of single column	339: 99 - 102	WTC1	339	99 - 102
Y	CC	C	2 full columns	124: 73-70	WTC1	124	70-73
Does not match	K-1 or K-13	C	3 columns, lower 1/3rd	209: 97-100	WTC1	209	97-100
Y	K-2 or K-40	C	1 column, lower 2/3rds	236: 92-95	WTC1	236	92-95
Y	M-2	C	Full panel	-9 <63>	WTC1	130	96-99
	M-10a	C	3 columns, 1/3rd, not labeled but attached to M-10b	B209: 82-85	WTC2	209	82-85
Y	M-10b	C	3 columns, lower 1/2	B206: 83-86	WTC2	206	83-86
	M-20	C	2 columns, lower 1/3rd	A121: 99-102	WTC1	121	99-102
	M-26	C	3 full columns	A130: 90-93	WTC1	130	90-93
	M-27	C	2 columns, lower 3/4ths	A130: 93-96	WTC1	130	93-96
	M-28	C	3 columns, lower 1/4th	B345: 9x - 1xx	WTC2	345	98 - 101
	M-30	C	2 columns, lower 1/3rd	_33: 94-97	WTC1	133	94-97
Y	N-1	C	2 full columns	2 8: 82-85	WTC1	218	82-85
Y (as M-3)	N-7 or M-3	C	3 full columns	127: 97-100	WTC1	127	97-100
Y (as M-7)	N-8 or M-7	C	Full panel	A142: 97-100	WTC1	142	97-100
Y (as M-8)	N-9 or M-8	C	Almost full panel, missing lower 1/3rd of 1 column	A154: 101-104	WTC1	154	101-104
Y (as M-15)	N-10 or M-15	C	2 columns, lower 2/3rds	A115: 89-92	WTC1	115	89-92
Y (as M-13)	N-12 or M-13	C	2 full columns	_06: 92-95	WTC1	206	92-95
Y (as M-14)	N-13 or M-14	C	3 columns, lower 1/3rd	A130: 99-102	WTC1	130	99-102
	N-99 or M-16	C	Almost full panel, missing lower 1/3rd of 1 column	A148: 99-102	WTC1	148	99-102
	N-101 or M-21	C	3 full columns	A133: 100-103	WTC1	133	100-103
	S-1 or EE	C	2 columns, lower 1/3rd	A433: 79-82	WTC1	433	79-82
Y	S-9 or C-63	C	Full panel	A133: 97-100	WTC1	133	97-100
Y	S-10 or C-17	C	2 columns, lower 1/2	224: 92-95	WTC1	224	92-95
Y	S-14 or C-20	C	Full panel	B218: 91-94	WTC2	218	91-94

**Table 1–3. List of partially identified exterior panel sections.**

<b>In FEMA report?</b>	<b>NIST Name</b>	<b>Type</b>	<b>Brief Description</b>	<b>Markings</b>	<b>Bldg</b>	<b>Column</b>	<b>Floors</b>
	C-117	C	3 columns, lower 1/3	101-104	NA		101-104

**Table 1–4. List of unidentified exterior panel sections.**

<b>In FEMA report?</b>	<b>NIST Name</b>	<b>Type</b>	<b>Brief Description</b>	<b>Location</b>
Y	C-28B (formerly U-4)	CC	Corner column, in 2 pieces	205
	M-35	CC	Corner column	205
Y	AA (formerly U-7)	C	2 full columns, thick walled	PL
Y (NSF)	ASCE-2	C	1 full column, C3, only 2 spandrels that are large	PL
Y (NSF)	ASCE-3	C	1 column, bottom 1/3rd of left column	PL
Y	BB	C	Single, thick column	205
Y	C-11	C	2 columns, upper 2/3rds	205
Y	C-15 (formerly U-20)	C	Partial of single column	205
Y	C-16	C	1 column, upper 1/3rd	205
Y	C-16a	C	Fell off during moving of C-16	205
Y	C-28 (formerly U-1)	C	1 column of unknown location	205
Y	C-32	C	1 column, upper 1/3rd	236
Y	C-41	C	1 column, lower 2/3rds	205
Y	C-43	C	1 column, lower 1/2	205
	C-47	C	3 columns, upper 1/2	236
Y	C-49 or S-6	C	portion of 1 column	236
Y	C-51	C	2 columns, upper 1/2	205
Y	C-52	C	1 column, upper 2/3rds	205
Y	C-54	C	1 column, small piece with extended outer web	205
Y	C-64	C	1 column with a lot missing	205
Y	C-67	C	1 column, rest unknown	205
Y	C-68	C	1 column, upper 1/2	205
Y	C-73	C	1 column, upper 1/2	205
Y	C-75	C	portion of 1 column and spandrel, rest unknown	236
Y	C-77	C	2 columns from different panels attached at spandrel, 1/3rd of each	205
Y (NSF)	C-84	C	1 full column, stampings on front face	PL
	C-102	C	Partial of single column	205
	C-133	C	1 column, bottom 1/3rd of unknown location	205
Y	DD	C	1 Column, spans 1 floor and has end plates on both ends	205
Y	FF	C	Single, thick column	205
Y	K-16	C	1 full column, thick, looks very corroded	PL
	K-16a (formerly U-23)	C	Fell off of K-16 while moving	PL
Both are in report but listed separately	M-4 or M-5	C	3 columns, upper 2/3rds	205
	M-19	C	2 columns, upper 1/3rd	205
Y	N-3	C	1 column, upper 1/2	236
Y	N-4	C	1 column, middle 1/3rd	236
Y	N-6 (formerly U-2)	C	1 column, length of spandrel, crushed	236
Y (as M-9)	N-11 or M-9	C	3 columns, upper 2/3rds	205
Y (as C-19)	N-N or C-19	C	1 column, lower 1/2	205
Y (as C-50)	S-3 or C-50	C	1 column, unknown 1/2	205
	U-6	C	3 columns, upper 1/4	236
	U-15	C	Partial of single column	205
Y	K-10	Cn	Flange coupon received from Gross, July 29, 2002	Lab
Y	K-11	Cn	Flange coupon received from Gross, July 29, 2002	Lab
Y	K-12	Cn	Flange coupon received from Gross, July 29, 2002	Lab
Y	K-13	Cn	Flange coupon received from Gross, July 29, 2002	Lab
Y	K-14	Cn	Flange coupon received from Gross, July 29, 2002	Lab
Y	K-15	Cn	Flange coupon received from Gross, July 29, 2002	Lab
Y	K-18	Cn	Flange coupon received from Gross, July 29, 2002	Lab
Y	K-19a	Cn	Flange coupon received from Gross, July 29, 2002	Lab
Y	K-19b	Cn	Flange coupon received from Gross, July 29, 2002	Lab
	B-5004	BT	Bowtie section	JFK/PL
	B-5007	BT	Bowtie section	JFK/PL

**Table 1–5. List of identified core columns.**

In FEMA report?	NIST Name	Type	Brief Description	Markings	Bldg	Column	Floors
	B-1011	RB	Heavy rectangular column	508A: 51-54 <55>	WTC1	508	51-54
	B-6152-1	RB	Heavy rectangular column	803A: 15-18 <52>	WTC1	803	15-18
	B-6152-2	RB	Heavy rectangular column	504A: 33-36	WTC1	504	33-36
NSF	C-83	RB	Heavy rectangular column, FEMA reported as possible core column	No ID found, but similar to core column size and shape			
	C-88a	RB	Not typical column section, both webs are same length, FEMA reported possible core column	801B 80-83	WTC2	801	80-83
	C-88b		Welded to above column	801B 77-80	WTC2	801	77-80
NSF	C-90	RB	Heavy rectangular column, FEMA reported as possible core column	701B 12 - 15	WTC2	701	12 - 15
	C-30 or S-12	W	Wide flange	1008B x04 - 10x	WTC2	1008	104 - 106
	C-65 or S-8	W	Wide flange	904A (86-89) <52>	WTC 1	904	86-89
Y	C-71	W	Wide flange	904A 77-80	WTC1	904	77 - 80
	C-80	W	Wide flange, FEMA reported possible core columns	603A 92-95 <51>	WTC 1	603	92-95
	C-155 (formerly U-5)	W	Wide flange	904A 83-86	WTC1	904	83-86
	HH or S-2	W	Wide flange, FEMA reported possible core columns	605A 98-101	WTC1	605	98-101

**Table 1–6. List of built-up box beams and wide flange sections with ambiguous stampings.**

NIST Name	Type	Brief Description	Markings	Location
Markings but no knowledge of this coding				
C-79	RB	Rectangular column, FEMA reported possible core column	101A 81 - 85 - 87 -92 52	PL
C-101 (formerly U-16)	RB	Similar to corner column, but much thinner	78A 10 27 50	PL
C-154	RB	Thin rectangular beam with supports	825: 107-108 52	PL
C-26	W	Three connected Wide flanges	604 & 605 (107) <64> Fy 50	PL
C-44	W	Wide flange, FEMA reported possible core columns	59 S 563	PL
C-45	W	Wide flange, FEMA reported possible core columns	16 S2 563 Fy 50	PL
C-60	W	Wide flange, S-shaped	193 S1 57	PL
C-61	W	Wide flange	150 S 69	PL
C-62	W	Wide flange	224 (S) <48> Fy 50	PL
M-17	W	Wide flange or I-beam, 1 ft flange, 2 ft web, 50-60 ft long	163 (9) 62 Fy 36	205
M-23	W	Possibly part of Wide flange or I-beam	F 2010	PL
M-37	W	Wide flange	130 (8?-92) <50>	205
M-38	W	Wide flange	Fy 42	PL

**Table 1–7. List of unidentified wide flange sections.**

<b>In FEMA report?</b>	<b>NIST Name</b>	<b>Type</b>	<b>Brief Description</b>	<b>Location</b>
	B-1022	W	Thick wide flange with severe bend	205
	B-1075	W	Wide flange	205
Y	C-29 (formerly U-10)	W	Wide flange	205
Y	C-35	W	Wide flange	205
Y	C-69	W	Wide flange	205
Y	C-70 (formerly U-9)	W	Wide flange	205
Y	C-72b	W	Wide flange	205
Y	C-76	W	Wide flange	205
Y	C-78 (formerly U-8)	W	Wide flange	205
Y	C-81	W	Wide flange	205
Y	C-82	W	Wide flange	205
Y (NSF)	C-85	W	Wide flange	205
Y	C-87	W	Thick Wide flange	205
	C-123	W	Small Wide flange	205
	C-126	W	Wide flange	205
	C-130	W	Wide flange	205
	C-138	W	Wide flange	205
	C-142	W	Wide flange	205
	C-150	W	Wide flange	205
Y	M-11	W	Wide flange	205
	M-18	RB	Large box beam	205
	M-22	RB	Large box beam	205
	M-33	W	Wide flange	205
	SM-2	W	Wide flange	205
Y	W-14A or A	W	Heavy Wide flange	205
Y	W-14B	W	Heavy Wide flange	PL

**Table 1–8. List of recovered floor truss material.**

<b>In FEMA report?</b>	<b>NIST Name</b>	<b>Type</b>	<b>Brief Description</b>	<b>Location</b>
Y	C-53	J	Floor truss	PL
Y	C-53B	J	Floor truss	PL
	C-100	J	Possible angle from a floor truss	PL
	C-104	J	Possible angle from a floor truss	PL
	C-106 (formerly U-18)	J	Small piece of floor truss	202
	C-115	J	Pig-tailed piece from floor truss	Lab
	C-122	J	Piece of floor truss	PL
	C-131	J	Small portion of floor truss with cement	202
	C-132	J	Piece of floor truss	PL
	C-137a	J	Piece of floor truss	PL
	C-137b	J	Piece of floor truss	PL
	C-137c	J	Piece of floor truss	PL
	C-137d	J	Piece of floor truss	PL
	C-137f	J	Piece of floor truss	PL
	C-140	J	Piece of angle	PL
	C-146b	J	Piece of floor truss	PL
	C-149	J	Piece of floor truss	PL
	C-151	J	Piece of floor truss	PL
	M-25	J	Small piece of floor truss	202
	M-31	J	Pieces of floor truss	Lab
	M-32	J	Pieces of floor truss	Lab
	M-36	J	Thick angle from floor truss	PL
Y (as N-2)	T-1 or N-2	J	Floor truss	202

**Table 1–9. List of recovered channel material.**

<b>In FEMA report?</b>	<b>NIST Name</b>	<b>Type</b>	<b>Brief Description</b>	<b>Location</b>
Y	C-91	Ch	Channel	236
	C-95	Ch	Channel	236
	C-96	Ch	Channel	236
	C-97	Ch	Channel	236
	C-98	Ch	Channel	236
	C-99	Ch	Channel	236
	C-105	Ch	Channel	236
	C-107 (formerly U-19)	Ch	Channel	236
	C-118	Ch	Channel	236
	C-124	Ch	Channel	236
	C-125	Ch	Channel	236
	C-128	Ch	Channel	B
	C-129	Ch	Channel	236
	C-134	Ch	Channel	236
	C-139	Ch	Channel	236
	C-141	Ch	Channel	236
	C-143	Ch	Channel	236
	C-144	Ch	Channel	236
	C-145	Ch	Channel	236
	C-147	Ch	Channel	236
	C-148	Ch	Channel	236
	C-152	Ch	Channel	236
	C-153	Ch	Channel	236
	M-24	Ch	Channel	236
	M-34	Ch	Channel	B



**Table 1–10. List of material from WTC 5.**

<b>In FEMA report?</b>	<b>NIST Name</b>	<b>Type</b>	<b>Brief Description</b>	<b>Location</b>
	GZ-1	Cn5	Coupon from Bldg #5	Lab
	GZ-2	Cn5	Coupon from Bldg #5	Lab
	GZ-3	Cn5	Coupon from Bldg #5	Lab
	GZ-4	Cn5	Coupon from Bldg #5	Lab
	GZ-5	Cn5	Coupon from Bldg #5	Lab
	GZ-6	Cn5	Coupon from Bldg #5	Lab
	GZ-7	Cn5	Coupon from Bldg #5	Lab

**Table 1–11. List of miscellaneous material.**

<b>In FEMA report?</b>	<b>NIST Name</b>	<b>Type</b>	<b>Brief Description</b>	<b>Location</b>
	C-18 Associated	B	One washer and nut	Lab
	C-108	B	Three sheared bolts	Lab
	C-109	B	Single bolt sheared	Lab
	C-110	B	Bolt and nut	Lab
	C-111	B	Bolt and washer	Lab
	C-112	B	Single bolt sheared	Lab
	C-113	B	Two sheared bolts with washers	Lab
	C-114	B	Sheared bolt with nut	Lab
	M-26 associated	B	8 bolts and a nut	Lab
	C-116	H	Damper	Lab
	B-1044-1	O	Piece of crushed metal decking assoc with B-1044	202
	B-2150	O	Pieces of aluminum sheathing	202
	C88c (formerly U-22)	O	Broke off C-88	PL
	C-94	O	May be some type of brace, rectangular box construction	PL
	C-103	O	Square-tube construction	PL
	C-119A	O	Square-tube construction	PL
	C-119B	O	Square-tube construction	PL
	C-120	O	Square-tube construction	PL
	C-121	O	Square-tube construction	PL
	C-135	O	May be some type of brace, rectangular box construction	PL
	C-146	O	Mangled ball of steel and concrete	202
	C-156 (formerly U-17)	O	Square-tube construction	PL
Y	K-50a	O	Rectangular slab of steel with bolts, received from D. Sharp, SEAoNY	Lab
Y	K-50b	O	Rectangular slab of steel with bolts, received from D. Sharp, SEAoNY	Lab
Y	K-50c	O	Rectangular slab of steel with bolts, received from D. Sharp, SEAoNY	Lab
	M-17a (formerly U-24)	O	Fell off of M-17 while moving	202
	M-29	O	5 ft piece of strapping	202
	M-30 associated	O	Pieces of glass, plexiglass, other rubble	Lab
Y	N-5	O	Plate with bolts	PL
	U-25	O	Unknown Wide flange with concrete	205

**Table 1–12. Strength/gage combination of columns recovered by NIST.**

<b>Flange FY (ksi)</b>	<b>Flange Gage (in.)</b>	<b>Number of Columns Recovered and Identified by NIST</b>
45	1.75	1
50	0.5	2
50	0.5625	2
50	1.0625	2
50	1.8105	1
50	2.0625	1
50	2.125	1
50	2.25	1
50	2.5	1
50	2.625	1
55	0.25	12
55	0.3125	5
55	0.375	6
55	0.4375	3
55	0.5625	3
55	1.375	1
55	1.6875	1
60	0.25	5
60	0.3125	6
60	0.375	1
60	0.5	1
65	0.25	7
65	0.375	1
65	0.8125	1
70	0.25	7
70	0.4375	2
70	0.75	1
75	0.25	3
75	0.4375	2
80	0.25	3
80	0.625	1
80	1.1875	1
85 – 100	0.25	12
85 – 100	0.5625	3
85 – 100	1.125	2
85 – 100	1.1875	3

**Table 1–13. Strength/gage combinations of spandrels recovered by NIST.**

<b>Spandrel FY (ksi)</b>	<b>Spandrel Gage (in.)</b>	<b>Number of Spandrels Recovered by NIST</b>
36	3/8	16
36	9/16	3
36	1 1/4	3
36	1 3/8	3
42	3/8	24
45	3/8	7
46	3/8	4
50	3/8	5
50	7/16	2
50	15/16	2
55	3/8	2
60	3/8	6
60	15/16	1
65	3/8	1
65	9/16	1
65	5/8	2
65	15/16	1
70	3/8	2
75	3/8	1
80	9/16	1

## **1.2 REPRESENTATIVE PICTURES OF RECOVERED WTC STEEL**



**Figure 1–1. Exterior column panel, sample C-46 shown.**






Figure 1-2. Floor truss seats shown from sample N-8.





**Figure 1-3. Damping Unit shown from sample N-8.**

Welded gusset plate used in place of seat on alternate column/spandrel intersections. One method used to attach diagonal bracing strap to exterior wall



**Figure 1-4. Gusset plate shown from sample N-8.**



Diagonal bracing strap attached  
directly to exterior column

On Sample C-25



Sample M-29

**Figure 1–5. (left) Diagonal bracing strap shown on sample C-25, (top), and  
single strap labeled M-29 (bottom).**






B-5004 at JFK



B-5004 portion cut and moved to NIST campus

**Figure 1–6. Bowtie section of exterior wall.**





**Figure 1–7. Recovered rectangular built up box sections used as core columns.**



Sample C-65



Sample C-80

**Figure 1–8. Recovered wide flange sections used as core columns.**





**Figure 1–9. Other recovered wide flange sections, shown is sample C-42.**





**Figure 1–10. Recovered floor truss material, shown are portions of sample C-53.**





**Figure 1-11. Recovered inner channel material used to connect floor trusses to core columns; shown is sample C-129.**



**Figure 1-12. Coupons removed in the field from WTC 5; shown is sample GZ-1.**



Figure 1–13. Examples of recovered bolts from various samples.





Square tubular piece  
Sample C-103



Rectangular tubular piece  
Sample C-135



Assorted pieces from within column  
Sample M-30 Associated

**Figure 1–14. Examples of miscellaneous materials recovered.**